

☐ Oracle Forms Huntime - (Multilingual Application - System)	
□ Fig. Edit. Becord Query Doc. Window. Help  S□====================================	
System   Tools   Languages   Label Sets   Domains   Defined Objects   Abstract Objects   Objects and Labels	-
Tools Code Mane Description Adire  I GRACHE DEVELOPER FORMS  Mane Description Adire  Code  Natid System System  System  System	·
Becord 1/1	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	

FIG. 5A




FIG. 5B




FIG. 5C

FIG. 5D

Oracle Forms Runtime - (Multilingual Application - System)	olication - System)
□ File Edit Becord Queny Doc Window Help 정밀론 ぐ미≫(리 王□耳물 출시원요	- 15
System   Tools   Languages	Label
System System Id Name	De
Objects	
el Object	e <i>DELETE</i>
Name Level	,

FIG. 5E

		/A / .   12:     A							
□ Oracle	Oracie Forms Kuntime - (Multilingu	e - (iviuitiiinguai App	lai Application - System)	em)					Z G
	□ File Edit Becord Query Doc Window Help >> □ → □ → □ → □ → □ → □ → □ → □ → □ → □	ow Heb 목록 출시소요 ?①H	Н						X@[_
System	System   Tools   Languages	inguages   Label Sets	Domains	ţs	Abstract Objects	Objects and Labels	Labels		
Tools — Code	Tools Name Code	Description	40	Label Set System 自由	Code	Name	Language ]		
Level 1 Nam	Objects Name	Description	Active Active	Description	Domain AOA Abstract Object Attribute		Value A	Active K	
Level 2	Лате	Description	Active	Description	] § <b>D</b> □□ ] § <b>-</b> □□□	34	Value	Active 🔽	
Level 3	Name	Description	Active	Description	) §-□□□ ) § <b>[</b> ]□□	, , , , , , , , , , , , , , , , , , ,	Value A	Active <	
Level 4	Name	Description	Active	Description	Domain Active	9/	Value A	Active C	
Level 5	Name	Description	Active Color	Description	Domain Adhie	3/2	Value A	Active C	
Level 6	Name	Description	Active C C C C C C C C C C C C C C C C C C C	Description	AOA Actre	92	Value	Active 🗷	
FRM-4035Q Record 1/1	FRM-4035Q Query caused no records to be ret	records to be retrieved							

FIG. 5F




FIG. 5G




FIG. 5H

FIG. 51




FIG. 5J

FIG. 5K




FIG. 5L

Oracle	Forms Runt	ime - (Multili	Oracle Forms Runtime - (Multilingual Application - System)	ation - Syst	em)						X
	□ Eise Edit Becord Query Doc Window Heip ③□●  ← □ ※ □   モロ篳目	Window Help  □ <b>国</b> 国	☐ Ele Edit Becard Query Doc Window Help ③四疊 ← ①※□ 任□歸曝 曾為公紹 ?①H								
System	System   Tools   Languages	Langnages	Label Sets	Domains	ts	4bstract	Abstract Objects	Objects and Labels	nd Labels		
Tools ———————————————————————————————————	Name ORAFORMS	95	Description	<b>4</b>	Label Set System 音[	Code		Name	Language 会	<b>4</b> 2	
Defined Objects	Objects	300		Attributes.		- Care	A04,		Mahio	) Control	
Teasi	Name		Tescription Acid		Describuor				Aging	Active	
Level 2	Name	Des	Description Activ	Active O	Description	Domain			Value	Active 🗸	
Level 3	Лате	Des	Description Activ	Active Colonia	Description	Domain	☐		Value	Active 🗸	
Level 4	Name	Des	Description Activ	Active Company	Description	Domain			Value	Active 🗸	
Level 5	Name	Des	Description Activ	Active G	Description	Domain			Value	Active 🗸	
Tevel 6	Иате	Des	Description Active		Description	Domain			Value	Active 🗹	14 - 14 - 14 - 14 - 14 - 14 - 14 - 14 -
FRM-40350 Record 1/1	Query caused	FRM-4035Q Query caused no records to be retrieved  Record 1/1   <0SC> <0BG >	e retrieved								

FIG. 5M

			DH					
System	System   Tools   Languages	iguages   Label Sets	Domains	:ts	Abstract Objects		Objects and Labels	_
Tools Code Code	Name SAFORMS	Descr	Description	Label Set System	Code	Name	Language [	
Defined Objects	iects		=					] [
Level 1	Name	Description	Active	Description	Domain Active	AOA Abstract Object Altribute Active	Value	Active 🗸
						<b>4</b> [b]		
Level 2	Name	Description	Active	Description	Domain   Active		Value	Active 🔽
			0 D			<u> </u>		
Level 3	Name	Description	Active	Description	Domain Add	[	Value	Active 🔽
						Tal.		-
Level 4	Name	Description	Active	Description	Domain Active		Value	Active 🔽
Level 5	Name	Description	Active	Description	] \$ <del>*</del>  }} [		Value	Active 🗸
						<b>4</b> 10		
Level 6	Name	Description	Active	Description	]∯ ]—∯		Value	Active 🗸
						<b>₫</b> [Þ]		
1M-4035Q Q	uery caused no re	FRM-4035Q Query caused no records to be retrieved						
Docord 1/1		ADRO ADRO						

FIG. 5N

□LC/CB RADS - (Function Tester)	1 5
Define Entre Becord Query Doc Window Help   Source   Source   Document   D	X
FUNCTION Eurosian Nama	
Curcinoti Name	
- I ABE	
Value	
START_DATE    START_DATE   Calculator   Calc	
Record 1/1   <osc> <dbg></dbg></osc>	$\neg$
	7
Function Maintenance Screen	

FIG. 6